



Jansen Timber

Jansen Houtimport BV
Scharenburg 2
1046 BB AMSTERDAM
P.O. Box 2726
1000 CS AMSTERDAM
The Netherlands
Phone : +31 20 494 9600
Fax : +31 20 494 9606
sales@jansenhoutimport.nl

ABN-AMRO 024.31.94.412
Iban NL91ABNA0243194412
Swift ABNANL2A
VAT NL 8141.36.369.B.01
Kvk 342168080000

Vuren FSC ruw	270	300	330	360	390	420	450	480	510	540	570	600	Totaal m3
16*075 VI					392		721	1734	1722				26,254
16*075 zaagvallend				8197	15672	10454	3668	4353	3287	868	1165		240,034
16*100 VI					3764	2010	3028	10138	4635	1815	929	980	208,040
16*100 zaagvallend	437			1180		12830	3401	1110	1169	1130	390	596	156,495
19*075 Domestic				15	166	168	14	658	420	700	896		22,312
19*075 O/S 1-4				434		364	616	1512	1638	4746	1736		81,222
19*075 VI	126	280				1232		5827	1708	2100	3388		105,003
19*100 zaagvallend					2051	910	727	2769	2150	866			83,648
22*100 O/S 1-4			242	917	3141	1859	1978	1083	1850	480	680	600	127,072
22*100 VI		600	300	600	149	300		1989	1560	620	1380	1220	94,222
22*125 zaagvallend				574	992				1543				37,962
22*150 zaagvallend		329					88				161	329	14,107
22*175 zaagvallend		143				265			207	431	663	514	45,385
28*150 O/S 1-4						949	1218	915					58,207
30*148 zaagvallend						108	186	735	3983				111,586
30*150 O/S 1-4							913	1012	234				45,718
30*150 VI								494	1942	658		126	74,631
32*150 O/S 1-4					126		685	2246					68,903
32*150 zaagvallend cw									462		194		16,618
32*200 zaagvallend							55	1207	217	155			51,103
35*178 zaagvallend							126	300	3351	534			136,940
38*125 zaagvallend						104	128	3059	2343	1158	2484		241,160
39*240 zaagvallend								522	3242	222		672	227,173
45*148 zaagvallend		59			1135		567	1126	13205	6333	1317	6834	1.083,012
45*198 zaagvallend								1132	440				72,609
47*098 zaagvallend						740	170	160	340	1100	5060	880	213,889
48*198 zaagvallend										35	610		34,842
62*148 zaagvallend					329				1799	357		2331	247,923
73*148 zaagvallend					98	35			1239			462	107,951
75*200 zaagvallend								119	90	170	770	560	145,458
75*225 zaagvallend						48	58	70	180	64	254	1244	185,186



Jansen Timber

Jansen Houtimport BV
Scharenburg 2
1046 BB AMSTERDAM
P.O. Box 2726
1000 CS AMSTERDAM
The Netherlands
Phone : +31 20 494 9600
Fax : +31 20 494 9606
sales@jansenhoutimport.nl

ABN-AMRO 024.31.94.412
Iban NL91ABNA0243194412
Swift ABNANL2A
VAT NL 8141.36.369.B.01
Kvk 342168080000

Vuren geschaafd FSC	270	300	330	360	390	420	450	480	510	540	570	600	Totaal m3
22*050 van dikte gebost per 10		630		1770	1558	3610	22815		8800	15823			288,741
22*050 van dikte gebost per 10 gewolmaniseerd bruin										20460			121,532
38*200 zaagvallend C24 geschaafd 4rh 36*195mm						490		480					33,151
38*225 zaagvallend C24 geschaafd 4rh 33*218mm								135					5,540
38*225 zaagvallend C24 geschaafd 4rh 36*220mm												2255	115,682
38*275 zaagvallend C24 geschaafd 4rh 36*270mm										220		4763	311,055
47*075 zaagvallend geschaafd 4rh 44*70mm	3528			290		1470		1843		10890			297,496
47*100 zaagvallend C24 geschaafd 4rh 44*095mm										9647		960	271,913
47*150 zaagvallend C24 geschaafd 4rh 44*145												5600	236,880
63*160 zaagvallend C24 geschaafd 4rh 58*155mm						280	257	1407	1197	756	385		216,394
75*175 zaagvallend C24 geschaafd 4rh 70*170mm	28					264		966	270			540	137,001
75*200 zaagvallend C24 geschaafd 4rh 70*195mm				505				150	280	150		750	139,140
75*225 zaagvallend C24 geschaafd 4rh 70*220mm	27					590			30			430	89,166
75*250 zaagvallend C24 geschaafd 4rh 70*245mm				60	120							92	23,175



Jansen Timber

Jansen Houtimport BV
Scharenburg 2
1046 BB AMSTERDAM
P.O. Box 2726
1000 CS AMSTERDAM
The Netherlands
Phone : +31 20 494 9600
Fax : +31 20 494 9606
sales@jansenhoutimport.nl

ABN-AMRO 024.31.94.412
Iban NL91ABNA0243194412
Swift ABNANL2A
VAT NL 8141.36.369.B.01
Kvk 342168080000

Vuren SLS FSC/PEFC C18/C24	270	300	330	360	390	420	450	480	510	540	570	600	Totaal m3
38*089 4rh SLS geschaafd C18			624		1639		1180	337					52,011
38*089 4rh SLS geschaafd C24				204	4200	6648	3540	3072	12768		9924	252	672,704
38*089 4rh SLS geschaafd C24 grenen					108	420		1344	4140	3072	7284	672	310,772
38*120 4rh SLS geschaafd C24								230	2030	1572	4572	6840	396,931
38*140 4rh SLS geschaafd C18							708	336					25,530
38*140 4rh SLS geschaafd C24						119	133	945	1113	2912	77		146,163
38*170 4rh SLS geschaafd C24									96	2736	3168	10458	620,610
38*184 4rh SLS geschaafd C24							50	144	8581	9100	2960	2775	890,370
38*235 4rh SLS geschaafd C18								672					27,004
38*235 4rh SLS geschaafd C24					256				220	1557	2760	176	239,452
38*235 4rh SLS geschaafd C24 d									130		1025		55,000
38*235 4rh SLS geschaafd C24 grenen							108	276	104	40			22,836
38*286 4rh SLS geschaafd C24										875		931	112,060